	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	1	("6289112").PN.	USPAT	2004/12/20 12:52	
2	BRS	7	fingerprint$4 and (dynamic near1 captur$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:21	
3	BRS	135	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2) near7 (size or divid$3 or dilat$3)) or ((increas$3 or enhanc$3 or great$3) near5 (resolution)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:24	
4	BRS	143	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2) near7 (size or divid$3)) or (dilat$3 or ((increas$3 or enhanc$3 or great$3) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 15:37	
5	BRS	104	S4 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:38	
6	BRS	152	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2) near7 (size or divid$3)) or (interpolat$3 or ((increas$3 or enhanc$3 or great$3) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 15:40	
7	BRS	109	S6 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 13:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
8.	BRS	152	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2) near7 (size or divid$3)) or (interpolat$3 or up-sampl$3 or (up adj sampl$3) or ((increas$3 or enhanc$3 or greats$3) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 18:01	
9	IS&R	1	("6707934").PN.	USPAT	2004/12/20 15:58	
10	BRS	2	"5261008".pn. and (block and center)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:03	
11	BRS	104	(fingerprint$4 with imag$4) same ((region or block$1 or window or tile or box$2) near7 (divid$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:24	
12	BRS	130	(fingerprint$4 with imag$4) same ((region or block$1 or window or tile or box$2) near7 (divid$3 or segment$4 or partition$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:25	
13	BRS	87	S12 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 18:02	
14	BRS	26	S13 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:25	
15	BRS	2	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2) near7 (size or divid$3)) and (interpolat$3 or up-sampl$3 or (up adj sampl$3) or ((increas$3 or enhanc$3 or greats$3) near5 (resolution)))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:36	

Type	Hits	Search Text	DBs	Time Stamp	Comments
16	BRS	294	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2) near7 (size or divid$3)) or (interpolat$3 or up-sampl$3 or (up adj sampl$3) or ((increas$3 or enhanc$3 or great$3 or high$3) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:46	
17	BRS	4	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2) near7 (size or divid$3)) and (interpolat$3 or up-sampl$3 or (up adj sampl$3) or ((increas$3 or enhanc$3 or great$3 or high$3) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:46	
18	BRS	4	S17 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:44	
19	BRS	2	S17 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:44	
20	BRS	10	(fingerprint$4 with imag$4) same (((region$1 or block$1 or window or tile or box$2) near7 (size or divid$3 or segment$4 or partition$4)) and (interpolat$3 or up-sampl$3 or (up adj sampl$3) or ((increas$3 or enhanc$3 or great$3 or high$3) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 17:47	

Type	Hits	Search Text	DBs	Time Stamp	Comments
21 BRS	6	S20 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 17:47	
22 BRS	328	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2 or region$1) near7 (size or divid$3 or segement$3 or partition$4) or (interpolat$3 or up-sampl$3 or (up adj sampl$3) or ((increas$3 or enhanc$3 or great$3 or high$2) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:18	
23 BRS	225	S22 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 18:03	
24 BRS	116	S23 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 18:03	
25 BRS	105	S24 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 18:02	
26 BRS	105	S25 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 18:03	

Type	Hits	Search Text	DBs	Time Stamp	Comments
27 BRS	199	(fingerprint$4 with imag$4) same (((block$1 or window or tile or box$2 or region$1) near7 (size or divid$3 or segement$3 or partition$4) or (interpolat$3 or up-sampl$3 or (up adj sampl$3) or ((increas$3 or enhanc$3 or great$3 or higher) near5 (resolution))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 18:03	
28 BRS	131	S27 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 18:03	
29 BRS	22	S28 not S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:08	
30 BRS	1192521	"26" not "5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:20	
31 BRS	65738	imag$3 near5 (center or central or middle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:21	
32 BRS	872	S31 with (((higher or greater or increas$3 or enhanc$3) near5 (resolution)) or (interpolat$4 or up-sampl$4 or (up adj sampl$3)) or ((block or region or window or tile or box$2) near5 (divid$4 or segment$4 or partition$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 20:18	
33 BRS	227	S31 with ((higher or greater or increas$3 or enhanc$3) near5 (resolution))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	204	S31 with ((higher or greater or increas$3) near5 (resolution))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:30	
35	BRS	163	S34 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:40	
36	BRS	0	S31 with (((higher or greater or increas$3) near5 (resolution)) near5 (divid$4 or segment$4 or partition$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:30	
37	BRS	2288	S31 with (divid$4 or segment$4 or partition$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 20:31	
38	BRS	363	S31 with (interpolat$4 or up-sampl$4 or (up adj sampl$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 20:31	
39	BRS	47	S31 with (block or region or window or tile or box$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 20:39	
40	BRS	40	S39 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 20:55	
41	BRS	310	S31 with ((block or region or window or tile or box$2) near5 (divid$4 or segment$4 or partition$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 20:52	
42	BRS	86	S31 with ((block or region or window or tile or box$2) near5 (subdivid$4 or segment$4 or partition$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:52	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
43	BRS	4	S31 with ((block or region or window or tile or box$2) near5 (subdivid$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/20 20:52	
44	BRS	35	S31 with (((block or region or window or tile or box$2) near5 (divid$4 or segment$4 or partition$4)) with ((decreas$3 or reduc$4) near3 (size)) or half))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 13:03	
45	BRS	28	S44 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/20 20:55	
46	BRS	65777	imag$3 near5 (center or central or middle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:03	
47	BRS	35	S46 with (((block or region or window or tile or box$2) near5 (divid$4 or segment$4 or partition$4)) with (small$4 or ((decreas$3 or reduc$4) near3 (size)) or half))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/21 13:03	
48	BRS	12	(fingerprint$4 with imag$4) same ("a/d" and buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:20	
49	BRS	13	(fingerprint$4 with imag$4) same ("a/d" and buffer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:20	
50	BRS	1	S49 not S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:20	
51	BRS	48	(fingerprint$4 with imag$4) and ("a/d" same buffer$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:21	

Type	Hits	Search Text	DBs	Time Stamp	Comments
52 BRS	36	S51 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 13:21	
53 BRS	24	S52 and (@rlad<"20010214" or @ad<"20010214")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	2004/12/21 20:17	

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Err ors
1 BRS	L1	3317	382/124-127,173.ccls. or 356/71.ccls.	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2004/12/2 1 20:18			
2 BRS	L2	65777	imag$3 near5 (center or central or middle) ,	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2004/12/2 1 20:18			

Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
BRS	L3	872	L2 with (((higher or greater or increas$3 or enhanc$3) near5 (resolution)) or (interpolat$4 or up-sampl$4 or (up adj sampl$3)) or ((block or region or window or tile or box$2) near5 (divid$4 or segment$4 or partition$4)))	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2004/12/2 1 20:20			
BRS	L4	16	1 and 3	US-PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT; IBM_T DB	2004/12/2 1 20:20			